



CRAWLER & WHEELED DOZERS- Recommended replacement seats

CASE, Crawler Dozers						
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM seat	COMMENTS	
550G LT	7020 or 4025SD		7050 or D7060	KAB	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
550G LGP	7020 or 4025SD		7050 or D7060	KAB		
650G LT	7020 or 4025SD		7050 or D7060	KAB		
850G LT	7020 or 4025SD		7050 or D7060	KAB		
850K	7020 or 4025SD		7050 or D7060	KAB		
1150G, H	7020 or 4025SD		7050 or D7060	KAB		
1550	7020 or 4025SD		7050 or D7060	KAB		
1650	7020 or 4025SD		7050 or D7060	KAB		
1850	7020 or 4025SD		7050 or D7060	KAB		
CATERPILLAR						
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)		COMMENTS	
D3 Series 111	D5087	D5060	D8087	Sears/CAT	If replacing a CAT Contour or Comfort seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. Unless a D5087 or D8087 is used (direct replacement)	
	D5087	D5060	D8087	Sears/CAT		
D3C Series 111	D5087	D5060	D8087	Sears/CAT		
	D5087	D5060	D8087	Sears/CAT		
D4 Series 11	D5087	D5060	D8087	Sears/CAT		
D4C Series 111	D5087	D5060	D8087	Sears/CAT		
D4H Series 11	D5087	D5060	D8087	Sears/CAT		
D4H Series 111	D5087	D5060	D8087	Sears/CAT		
D5C Series 111	D5087	D5060	D8087	Sears/CAT		
D5H	D5087	D5060	D8087	Sears/CAT		
D5H Series 11	D5087	D5060	D8087	Sears/CAT		
D5M	D5087	D5060	D8087	Sears/CAT		
D6D & G85	D5087	D5060	D8087	Sears/CAT		
D6E	D5087	D5060	D8087	Sears/CAT		
D6H Series 11	D5087	D5060	D8087	Sears/CAT		
D6M	D5087	D5060	D8087	Sears/CAT		
D6R ALL	D5087	D5060	D8087	Sears/CAT		
D7G	D5087	D5060	D8087	Sears/CAT		
D7H Series 11	D5087	D5060	D8087	Sears/CAT		
D7R ALL	D5087	D5060	D8087	Sears/CAT		
D8L	D5087	D5060	D8087	Sears/CAT		
D8N	D5087	D5060	D8087	Sears/CAT		
D8R	D5087	D5060	D8087	Sears/CAT		
D9H	D5087	D5060	D8087	Sears/CAT		Ditto NOTE: SD & R seat versions are the only seats recommended for mining applications.
D9R	D5087	D5060	D8087	Sears/CAT		
D10R	D5087	D5060	D8087	Sears/CAT		
D11R	D5087	D5060	D8087	Sears/CAT		

DRESSTA - CRAWLER DOZERS					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)		COMMENTS
	5020	5060	D5087		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
JOHN DEERE - CRAWLER DOZERS					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)		COMMENTS
450G	5052		8052	Sears/DDH	Direct replacement
450G LGP	5052		8052	Sears/DDH	Ditto
550G	5052		8052	Sears/DDH	Ditto
550G LPG	5052		8052	Sears/DDH	Ditto
650G	5052		8052	Sears/DDH	Ditto
650G LGP	5052		8052	Sears/DDH	Ditto
750C	5052		8052	Sears/DDH	Ditto
750C LGP	5052		8052	Sears/DDH	Ditto
750C	5052		8052	Sears/DDH	Ditto
850C	5052		8052	Sears/DDH	Ditto
850C LGP	5052		8052	Sears/DDH	Ditto
DRESSER Crawler Dozers					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)		COMMENTS
TD7H			7050 or D7060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
TD7H LGP	7020		7050 or D7060	Sears 5020/27	Ditto
TD8H	7020		7050 or D7060	Sears 5020/27	Ditto
TD8H LGP	7020		7050 or D7060	Sears 5020/27	Ditto
TD9H	7020		7050 or D7060	Sears 5020/27	Ditto
TD9H LGP	7020		7050 or D7060	Sears 5020/27	Ditto
TD-12C	7020		7050 or D7060	Sears 5020/27	Ditto
TD-12C LT	7020		7050 or D7060	Sears 5020/27	Ditto
TD-12C LGP	7020		7050 or D7060	Sears 5020/27	Ditto
TD-12CXP	7020		7050 or D7060	Sears 5020/27	Ditto
TD-12CXP LGP	7020		7050 or D7060	Sears 5020/27	Ditto
TD-15C	7020		7050 or D7060	Sears 5020/27	Ditto
TD-15E	7020		7050 or D7060	Sears 5020/27	Ditto
TD-15E LT	7020		7050 or D7060	Sears 5020/27	Ditto
TD-15E LGP	7020		7050 or D7060	Sears 5020/27	Ditto
TD-20G	7020		7050 or D7060	Sears 5020/27	Ditto
TD-20G LT	7020		7050 or D7060	Sears 5020/27	Ditto
TD-20G LGP	7020		7050 or D7060	Sears 5020/27	Ditto
TD-2-G DB LGP	7020		7050 or D7060	Sears 5020/27	Ditto
TD-25G	7020		7050 or D7060	Sears 5020/27	Ditto
TD-40B	7020		7050 or D7060	Sears 5020/27	Ditto

FIAT ALLIS, Crawler Dozers					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	COMMENTS	
FD9	7020		7050 or D7060	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
FD145	7020		7050 or D7060		
FD175	7020		7050 or D7060		
FD195L	7020		7050 or D7060		
FD255	7020		7050 or D7060		
FD30C	7020		7050 or D7060		
			7050 or D7060		
FIAT-HITACHI, Crawler Dozers					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	COMMENTS	
FD30C	7020		7050 or D7060	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
FD255	7020		4050SD or 4060SD		Ditto
D180	7020		7050 or D7060		Ditto
D150	7020		7050 or D7060		Ditto
D80	7020		7050 or D7060		Ditto
FL5	7020		7050 or D7060		Ditto
FL20	7020		7050 or D7060		Ditto
HANOMAG					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	COMMENTS	
D680E	7020		7050 or D7060	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
D680E LGP	7020		7050 or D7060		Ditto NOTE: SD & R seat versions are the only seats recommended for mining applications.
HYUNDAI					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	COMMENTS	
H80	7020		7050 or D7060	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	

KOMATSU, Crawler Dozers					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)		COMMENTS
D31E-18	7020		7050 or D7060	KAB 411	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
D31E-20	7020		7050 or D7060	411	Installation kit SA19096.901
D31P-20	7020		7050 or D7060	T1	Ditto
D31S-17	7020		7050 or D7060	411	Ditto
D32E	7020		7050 or D7060	411	Ditto
D32P	7020		7050 or D7060	411	Ditto
D37E-5	7020		7050 or D7060	411	Ditto
D37P-5	7020		7050 or D7060	411	Ditto
D38E	7020		7050 or D7060	411	Ditto
D38P	7020		7050 or D7060	835	Ditto
D39P	7020		7050 or D7060	511	Ditto
D39E	7020		7050 or D7060	411	Ditto
D41E	7020		7050 or D7060	411	Ditto
D41E-6	7020		7050 or D7060	T1	Ditto
D41P-6	7020		7050 or D7060	411	Ditto
D31E	7020		7050 or D7060	411	Installation kit SA19096.901
D31P swamp	7020		7050 or D7060	411	Installation kit SA19096.901
D37E	7020		7050 or D7060	411	Installation kit SA19096.901
D37P swamp	7020		7050 or D7060	411	Installation kit SA19096.901
D41E	7020		7050 or D7060	411	Installation kit SA19096.901
D41P swamp	7020		7050 or D7060	835	Installation kit SA19096.901
D58E-1B	7020		7050 or D7060	511	Installation kit SA19096.901
D58P-1 B	7020		7050 or D7060	411	Installation kit SA19096.901
D61EX	7020		7050 or D7060	411	Installation kit SA19096.901
D61PX swamp	7020		7050 or D7060	T1	Installation kit SA19096.901
D65E - 8	7020		7050 or D7060	411	Installation kit SA19096.901
D65EX - 12	7020		7050 or D7060	411	Installation kit SA19096.901 required
D65PX - 12 swamp	7020		7050 or D7060	411	Installation kit SA19096.901
D75S-S (old)	7020		7050 or D7060	411	Installation kit SA19096.901
D75S-5	7020		7050 or D7060	411	Installation kit SA19096.901
D85A/E	7020		7050 or D7060	411	Installation kit SA19096.901
D85P swamp	7020		7050 or D7060	835	Installation kit SA19096.901
D85E-21	7020		7050 or D7060	511	Installation kit SA19096.901
D135A-2	7020		7050 or D7060	411	Installation kit SA19096.901
D155A	7020		7050 or D7060	411	Installation kit SA19096.901
D155AX-3	7020		7050 or D7060	T1	Installation kit SA19096.901
D275A-2	7020		7050 or D7060	411	Installation kit SA19096.901
D355A-3	7020		7050 or D7060	411	Ditto NOTE: SD & R seat versions are the only seats recommended for mining applications.
D355A-5	7020		7050 or D7060	411	Ditto
D375-2	7020		7050 or D7060	411	Ditto
D375A-3	7020		7050 or D7060	411	Ditto
D475A-2	7020		7050 or D7060	411	Ditto
D575A	7020		7050 or D7060	835	Ditto

MACOMOTER Crawler Dozers				
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	COMMENTS
	7020		7050 or D7060	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
NEW HOLLAND Crawler Dozers				
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	COMMENTS
B75	7020		7050 or D7060	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
B85	7020		7050 or D7060	Ditto
B95	7020		7050 or D7060	Ditto
CATERPILLAR - Wheeled dozers				
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	COMMENTS
814F	7020 or 4025SD		7050 or D7060	Installation kit SA19236.901 required. This kit accommodates all bolt patterns up to 385 wide x 402mm (15 x15.8").
824G	7020 or 4025SD		7050 or D7060	Ditto NOTE: SD & R seat versions are the only seats recommended for mining applications.
834B	7020 or 4025SD		7050 or D7060	Ditto
844	7020 or 4025SD		7050 or D7060	Ditto
854G	7020 or 4025SD		7050 or D7060	Ditto
				Ditto