



LOADERS SECTION- BACKHOE-WHEELED-TRACKED-SKID STEER

WHEEL / TRACKED LOADERS RECOMMENDED REPLACEMENT SEATING

AHLMANN, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
AS9	8020	7020	D7060 or D8060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
AS45	8020	7020	D7060 or D8060		
AS50	8020	7020	D7060 or D8060		
AS70	8020	7020	D7060 or D8060		
AS90	8020	7020	D7060 or D8060		
AS150	8020	7020	D7060 or D8060		
AS200	8020	7020	D7060 or D8060		
AF60E	8020	7020	D7060 or D8060		
AL7D	8020	7020	D7060 or D8060		
AL70E	8020	7020	D7060 or D8060		
AL85T	8020	7020	D7060 or D8060		
AL100T	8020	7020	D7060 or D8060		
AL100TI	8020	7020	D7060 or D8060		
AMMAN YANMAR, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
V1	7020		D7060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
V3-5	7020		D7060		
V4-5	7020		D7060		
ATLAS, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
82E	8020	7020	D7060 or D8060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
ATL32E	8020	7020	D7060 or D8060		
ATL42E	8020	7020	D7060 or D8060		
ATL50E	8020	7020	D7060 or D8060		
ATL52E	8020	7020	D7060 or D8060		
ATL52ES	8020	7020	D7060 or D8060		
ATL62E	8020	7020	D7060 or D8060		
ATL72E	8020	7020	D7060 or D8060		
ATL82E	8020	7020	D7060 or D8060		
AR35	8020	7020	D7060 or D8060		
AR41B	8020	7020	D7060 or D8060		
AR50	8020	7020	D7060 or D8060		
AR60	8020	7020	D7060 or D8060		
AR65	8020	7020	D7060 or D8060		
AR80	8020	7020	D7060 or D8060		
AR95	8020	7020	D7060 or D8060		
CASE, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
621B	8020	7020	D7060 or D8060	Sears	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
721B	8020	7020	D7060 or D8060	Sears	
821B	8020	7020	D7060 or D8060	Sears	
921B	8020	7020	D7060 or D8060	Sears	

CATERPILLAR, Wheeled Loaders

MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
902	8020	7020	D7060 or D8060		If replacing a CAT Contour or Comfort seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. Unless a D5087 or D8087 is used (direct replacement)
906	8020	7020	D7060 or D8060		Ditto
908	8020	7020	D7060 or D8060		Ditto
914G	5020		D5060 or 5050	KAB 515	If replacing a CAT Contour or Comfort seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. Unless a D5087 or D8087 is used (direct replacement)
924G	5020	8020	D5060 or D8060	SEARS (Contour or Comfort)or KAB	If replacing a CAT Contour or Comfort seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. Unless a D5087 or D8087 is used (direct replacement)
	5020	8020	D5060 or D8060	SEARS (Contour or Comfort)or KAB	Ditto
924F	5020	8020	D5060 or D8060	SEARS (Contour or Comfort)or KAB	Ditto
	5020	8020	D5060 or D8060	SEARS (Contour or Comfort)or KAB	Ditto
928F	5020	8020	D5060 or D8060	SEARS (Contour or Comfort)or KAB	Ditto
928G	5020	8020	D5060 or D8060	SEARS (Contour or Comfort)or KAB	Ditto
936E	5020	8020	D5060 or D8060	SEARS (Contour or Comfort)or KAB	Ditto
936F	5020	8020	D5060 or D8060	SEARS (Contour or Comfort)or KAB	Ditto
938F	5020	8020	D5060 or D8060	SEARS (Contour or Comfort)or KAB	Ditto
938G	5020	8020	D5087 or D8087	SEARS (Contour or Comfort)or KAB	Ditto
950F	5020	8020	D5087 or D8087	SEARS (Contour or Comfort)or KAB	Ditto
950G	5020	8020	D5087 or D8087	SEARS (Contour or Comfort)or KAB	Ditto
960F	5020	8020	D5087 or D8087	SEARS (Contour or Comfort)or KAB	Ditto
962G	5020	8020	D5087 or D8087	SEARS (Contour or Comfort)or KAB	Ditto
966C	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	If replacing a CAT Contour or Comfort seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. Unless a D5087 or D8087 is used (direct replacement)
966D	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	If replacing a CAT Contour or Comfort seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. Unless a D5087 or D8087 is used (direct replacement)
	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	If replacing a CAT Contour or Comfort seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. Unless a D5087 or D8087 is used (direct replacement)
	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	If replacing a CAT Contour or Comfort seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. Unless a D5087 or D8087 is used (direct replacement)
966E	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	Ditto
966F	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	Ditto
966G	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	Ditto
970F	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	Ditto
972G	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	Ditto
980G	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	Ditto
988B	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	Ditto
988F	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	If replacing a CAT Contour or Comfort seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. Unless a D5087 or D8087 is used (direct replacement)
988F-11	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	Ditto
	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	Ditto
990	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	Ditto
990-11	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	Ditto
992C	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	Ditto
992D	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	Ditto
992G	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	Ditto
994D	5020 or 8020	D5060 or D8060	D5087 or D8087	SEARS (CAT Contour or Comfort)	Ditto

DAEWOO, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
MEGA 200	5052 or 8052	5020	D5060 or D8060	SEARS 5052	5052 or 8052 is a direct replacement. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
John Deere, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
244E&G	5052 or 8052	5020	D5060 or D8060	SEARS/John Deere DDH	5052 or 8052 is a direct replacement. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
	5052	5020	D5060 or D8060	SEARS/John Deere DDH	5052 or 8052 is a direct replacement. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
344E&G	5052	5020	D5060 or D8060	SEARS/John Deere DDH	Ditto
444E&G	5052	5020	D5060 or D8060	SEARS/John Deere DDH	Ditto
544E&G	5052	5020	D5060 or D8060	SEARS/John Deere DDH	Ditto
644E&G	5052	5020	D5060 or D8060	SEARS/John Deere DDH	Ditto
744E&G	5052	5020	D5060 or D8060	SEARS/John Deere DDH	Ditto
244H	5052	5020	D5060 or D8060	SEARS/John Deere DDH	5052 or 8052 is a direct replacement. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
344H	5052	5020	D5060 or D8060	SEARS/John Deere DDH	Ditto
444H	5052	5020	D5060 or D8060	SEARS/John Deere DDH	Ditto
544H	5052	5020	D5060 or D8060	SEARS/John Deere DDH	Ditto
644H	5052	5020	D5060 or D8060	SEARS/John Deere DDH	Ditto
744H	5052	5020	D5060 or D8060	SEARS/John Deere DDH	Ditto
			D5060 or D8060		
Dresser Wheel loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
510C	5020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
512	5020		D5060 or 5050		Ditto
515C	5020		D5060 or 5050		Ditto
515CH	5020		D5060 or 5050		Ditto
518	5020		D5060 or 5050		Ditto
520C	5020		D5060 or 5050		Ditto
520CH	5020		D5060 or 5050		Ditto
525	5020		D5060 or 5050		Ditto
532	5020		D5060 or 5050		Ditto
538	5020		D5060 or 5050		Ditto
542	5020		D5060 or 5050		Ditto
545	5020		D5060 or 5050		Ditto
558	5020		D5060 or 5050		Ditto
560C	5020		D5060 or 5050		Ditto
568	5020		D5060 or 5050		Ditto

FIATALLIS, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
FR70	5020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
FR90	5020		D5060 or 5050		Ditto
FR90PL	5020		D5060 or 5050		Ditto
FR100	5020		D5060 or 5050		Ditto
FR120	5020		D5060 or 5050		Ditto
FR130.2	5020		D5060 or 5050		Ditto
FR140.2	5020		D5060 or 5050		Ditto
FR160.2	5020		D5060 or 5050		Ditto
FR180.2	5020		D5060 or 5050		Ditto
FR220.2	5020		D5060 or 5050		Ditto
Fiat-Hitachi, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
W450	7020 or 8020	5020	D7060 or D8060	KAB 555	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
W350	7020 or 8020	5020	D7060 or D8060	KAB 555	Ditto
W270	7020 or 8020	5020	D7060 or D8060	ISRI 6000/575	Ditto
W230	7020 or 8020	5020	D7060 or D8060	KAB 555	Ditto
W190	7020 or 8020	5020	D7060 or D8060	KAB 555	Ditto
W190 LB	7020 or 8020	5020	D7060 or D8060	KAB 555	Ditto
W170	7020 or 8020	5020	D7060 or D8060	KAB 555	Ditto
W170PL	7020 or 8020	5020	D7060 or D8060	KAB 555	Ditto
W130	7020 or 8020	5020	D7060 or D8060	KAB 555	Ditto
W130PL	7020 or 8020	5020	D7060 or D8060	KAB 555	Ditto
W110	7020 or 8020	5020	D7060 or D8060	KAB 555	Ditto
W90	7020 or 8020	7020	D7060 or D8060	DS85/90	Ditto
W80	7020 or 8020	7020	D7060 or D8060	DS85/90	Ditto
W70	7020 or 8020	7020	D7060 or D8060	DS85/90	Ditto
W60	7020 or 8020	7020	D7060 or D8060	DS85/90	Ditto
W50	7020 or 8020	7020	D7060 or D8060	DS85/90	Ditto
FURUKAWA, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
355	7020 or 8020		D7060 or D8060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
HALLA, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
HA170	7020 or 8020		D7060 or D8060	KAB	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
HANOMAG, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
6A	7020 or 8020		D7060 or D8060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
15 F	7020 or 8020		D7060 or D8060		Ditto
66D	7020 or 8020		D7060 or D8060		Ditto
70E	7020 or 8020		D7060 or D8060		Ditto

HYUNDAI, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
730	7020 or 8020	7020	D7060 or D8060	KAB 525 or 555	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
750	7020 or 8020	7020	D7060 or D8060	KAB 525 or 555	Ditto
760	7020 or 8020	7020	D7060 or D8060	KAB 525 or 555	Ditto
770	7020 or 8020	7020	D7060 or D8060	KAB 525 or 555	Ditto
MODELS FROM 1996 : '3'	7020 or 8020	7020	D7060 or D8060	KAB 525 or 555	
730.3	7020 or 8020	7020	D7060 or D8060	KAB 525 or 555	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
740.3	7020 or 8020	7020	D7060 or D8060	KAB 525 or 555	Ditto
750.3	7020 or 8020	7020	D7060 or D8060	KAB 525 or 555	Ditto
760.3	7020 or 8020	7020	D7060 or D8060	KAB 525 or 555	Ditto
770.3	7020 or 8020	7020	D7060 or D8060	KAB 525 or 555	Ditto
780.3	7020 or 8020	7020	D7060 or D8060	KAB 525 or 555	Ditto
JCB, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
406	7020 or 8020	7020	D7060 or D8060	KAB 525 or 555	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
407B	7020 or 8020	7020	D7060 or D8060	KAB 525 or 555	Ditto
408B	7020 or 8020	7020	D7060 or D8060	KAB 525 or 555	Ditto
409	7020 or 8020	7020	D7060 or D8060	KAB 525 or 555	Ditto
415	7020 or 8020	7020	D7060 or D8060	KAB 525 or 555	Ditto
436HT	7020 or 8020	7020	D7060 or D8060	KAB 525 or 555	Ditto
KAWASAKI, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
Z2	7020 or 8020		D7060 or D8060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
Z3	7020 or 8020		D7060 or D8060	ISRI 6000/575	Ditto
50Z	7020 or 8020		D7060 or D8060	ISRI 6000/575	Ditto
60Z	7020 or 8020		D7060 or D8060	ISRI 6000/575	Ditto
65Z	7020 or 8020		D7060 or D8060	ISRI 6000/575	Ditto
65TM	7020 or 8020		D7060 or D8060	ISRI 6000/575	Ditto
70Z	7020 or 8020		D7060 or D8060	ISRI 6000/575	Ditto
80Z	7020 or 8020		D7060 or D8060	ISRI 6000/575	Ditto
85Z	7020 or 8020		D7060 or D8060	ISRI 6000/575	Ditto
90Z	7020 or 8020		D7060 or D8060	ISRI 6000/575	Ditto
95Z	7020 or 8020		D7060 or D8060	ISRI 6000/575	Ditto
115Z	7020 or 8020		D7060 or D8060	ISRI 6000/575	Ditto
902A	7020 or 8020		D7060 or D8060	ISRI 6000/575	Ditto
KOMATSU, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
WA65	7020 or 8020	7020	D7060 or D8060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
WA65PT	7020 or 8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
WA75	7020 or 8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
WA85	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto
WA90	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto
WA95	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto
WA120	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto
WA180	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto
WA180PT	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto
WA270	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto
WA270PT	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto
WA320-A	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto
WA240	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto
WA450	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto
WA470	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto
WA500	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto
WA600	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto
WA700	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto
WA800	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto
WA900	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto
WA1200	7020 or 8020	7020	D7060 or D8060	KAB 525	Ditto

KRAMER ALLRAD, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
312	7020		D7060	Grammer	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
320	7020		D7060	Grammer	
420	7020	8020	D7060	Grammer	
512SL	7020		D7060	Grammer	
612	7020		D7060	Grammer	
LIEBHERR, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L-506	8020	7020	D7060 or D8060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L-507	8020	7020	D7060 or D8060	ISRI 6000/575	
L-514	8020	7020	D7060 or D8060	ISRI 6000/575	
L-538	8020	7020	D7060 or D8060	ISRI 6000/575	
L-551	8020	7020	D7060 or D8060	ISRI 6000/575	
L-564	8020	7020	D7060 or D8060	ISRI 6000/575	
MICHIGAN, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L270	5052 or 8052	7020	D7060 or D8060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
55B	5052 or 8052	7020	D7060 or D8060		
O & K, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L45B	8020	7020	D7060 or D8060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L25.5	8020	7020	D7060 or D8060		
L15 600C	8020	7020	D7060 or D8060		
PICCINI, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	8020	7020	D7060 or D8060	MT	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
SAMSUNG, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
SL180	8020	7020	D7060 or D8060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
SL330	8020	7020	D7060 or D8060		
SCHAEFF, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
SKL 851	8020	7020	D7060 or D8060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").

SCHOPF, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L60	8020	7020	D7060 or D8060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
TAMROCK (TORO), Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
TORO 0010	8020	7020	D7060 or D8060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
EJC210D	8020	7020	D7060 or D8060		Ditto
EJC430	8020	7020	D7060 or D8060		Ditto
TORO 650D	8020	7020	D7060 or D8060		Ditto
TEREX, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
TM200-R	8020	7020	D7060 or D8060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
VOLVO, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L330D	8020	7020	D7060 or D8060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L220E	8020	7020	D7060 or D8060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L180D	8020	7020	D7060 or D8060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L160	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L150	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L150C	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L150D	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L120B	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L120C	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L120D	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L90B	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L90C	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L90D	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L70D	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L50D	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L45	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L40B	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L35B	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L32B	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L30B	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L302C	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L402C	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
L502C	8020	7020	D7060 or D8060	ISRI 6000/575	Ditto
ZEPPELIN, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
ZL8B	8020	7020	D7060 or D8060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
ZL10B	8020	7020	D7060 or D8060		Ditto

ZETTLMEYER, Wheeled Loaders						
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS	
402	8020	7020	D7060 or D8060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
601B	8020	7020	D7060 or D8060			Ditto
602	8020	7020	D7060 or D8060			Ditto
602B	8020	7020	D7060 or D8060			Ditto
602C	8020	7020	D7060 or D8060			Ditto
702	8020	7020	D7060 or D8060			Ditto
802	8020	7020	D7060 or D8060			Ditto
1002i	8020	7020	D7060 or D8060			Ditto
1801	8020	7020	D7060 or D8060			Ditto
2002	8020	7020	D7060 or D8060			Ditto
5002	8020	7020	D7060 or D8060			Ditto

CRAWLER LOADERS - RECOMMENDED REPLACEMENT SEATING

CATERPILLAR - Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
933LGP	8020	D7060 or D8060	D8087	Sears (CAT Contour)	If replacing a CAT Contour or Comfort seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. Unless a D5087 or D8087 is used (direct replacement)
933	8020	D7060 or D8060	D8087	Sears (CAT Contour)	Ditto
935B	8020	D7060 or D8060	D8087	Sears (CAT Contour)	Ditto
935C	8020	D7060 or D8060	D8087	Sears (CAT Contour)	Ditto
939	8020	D7060 or D8060	D8087	Sears (CAT Contour)	Ditto
951B	8020	D7060 or D8060	D8087	Sears (CAT Contour)	Ditto
951C	8020	D7060 or D8060	D8087	Sears (CAT Contour)	Ditto
953	8020	D7060 or D8060	D8087	Sears (CAT Contour)	Ditto
953C	8020	D7060 or D8060	D8087	Sears (CAT Contour)	Ditto
955K	8020	D7060 or D8060	D8087	Sears (CAT Contour)	Ditto
955L	8020	D7060 or D8060	D8087	Sears (CAT Contour)	Ditto
963	8020	D7060 or D8060	D8087	Sears (CAT Contour)	Ditto
963B	8020	D7060 or D8060	D8087	Sears (CAT Contour)	Ditto
963C	8020	D7060 or D8060	D8087	Sears (CAT Contour)	Ditto
973	8020	D7060 or D8060	D8087	Sears (CAT Contour)	Ditto
955L	8020	D7060 or D8060	D8087	Sears (CAT Contour)	Ditto
963B	8020	D7060 or D8060	D8087	Sears (CAT Contour)	Ditto
973B	8020	D7060 or D8060	D8087	Sears (CAT Contour)	Ditto
JOHN DEERE, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
450C	5052	8052	D8087	Sears (JD DDH)	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
455G Series 1V	5052	8052	D8087	Sears (JD DDH)	Ditto
55G Series 1V	5052	8052	D8087	Sears (JD DDH)	Ditto
DRESSER - Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
100G	5020	8020	D7060 or D8060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
125G	5020	8020	D7060 or D8060		Ditto
175G	5020	8020	D7060 or D8060		Ditto
DRESSTA, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	8020		D7060 or D8060	DS85/90	Ditto
FIAT-HITACHI, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
FL175	5020	8020	D7060 or D8060	KAB	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
FL145	5020	8020	D7060 or D8060	KAB	Ditto
KOMATSU, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
D575S-1	5020	8020	D7060 or D8060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
D66S-1	5020	8020	D7060 or D8060		Installation kit SA19096.901 required
D75S-1	5020	8020	D7060 or D8060		Installation kit SA19096.901 required
LIEBHERR, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
752	8020		D7060 or D8060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
755	8020		D7060 or D8060	ISRI 6000/575	Installation kit SA19096.901 required
TAKEUCHI, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L1226	8020		D7060 or D8060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").

SKID STEER LOADERS

BELLE Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
731	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
741	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
761	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
7250	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
7600	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
BENFORD Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
BOB CAT Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
443	1400	1200	1500	Sears FLS	Use SA19068 slide kit
450	1400	1200	1500	Sears FLS	Use SA19068 slide kit
453	1400	1200	1500	Sears FLS	Use SA19068 slide kit
463	1400	1200	1500	Sears FLS	Use SA19068 slide kit
553	1400	1200	1500	Sears FLS	Use SA19068 slide kit
743	1400	1200	1500	Sears FLS	Use SA19068 slide kit
751	1400	1200	1500	Sears FLS	Use SA19068 slide kit
753	1400	1200	1500	Sears FLS	Use SA19068 slide kit
763	1400	1200	1500	Sears FLS	Use SA19068 slide kit
763H	1400	1200	1500	Sears FLS	Use SA19068 slide kit
773	1400	1200	1500	Sears FLS	Use SA19068 slide kit
843	1400	1200	1500	Sears FLS	Use SA19068 slide kit
853	1400	1200	1500	Sears FLS	Use SA19068 slide kit
853H	1400	1200	1500	Sears FLS	Use SA19068 slide kit
863	1400	1200	1500	Sears FLS	Use SA19068 slide kit
864	1400	1200	1500	Sears FLS	Use SA19068 slide kit
873	1400	1200	1500	Sears FLS	Use SA19068 slide kit
953	1400	1200	1500	Sears FLS	Use SA19068 slide kit
963	1400	1200	1500	Sears FLS	Use SA19068 slide kit
973	1400	1200	1500	Sears FLS	Use SA19068 slide kit
S175	1400	1200	1500	Sears FLS	Use SA19068 slide kit
S185H	1400	1200	1500	Sears FLS	Use SA19068 slide kit
S250	1400	1200	1500	Sears FLS	Use SA19068 slide kit
S300	1400	1200	1500	Sears FLS	Use SA19068 slide kit
T190	1400	1200	1500	Sears FLS	Use SA19068 slide kit
T200	1400	1200	1500	Sears FLS	Use SA19068 slide kit
A220	1400	1200	1500	Sears FLS	Use SA19068 slide kit
CASE SKID STEERS					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
1818	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
1825	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1825B	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1835C	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1838	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1840	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1845C	1200 or 1100	1400 or 900	1500 or 1600		Ditto
40XT	1200 or 1100	1400 or 900	1500 or 1600		Ditto
60XT	1200 or 1100	1400 or 900	1500 or 1600		Ditto
70XT	1200 or 1100	1400 or 900	1500 or 1600		Ditto
75XT	1200 or 1100	1400 or 900	1500 or 1600		Ditto
85XT	1200 or 1100	1400 or 900	1500 or 1600		Ditto
90XT	1200 or 1100	1400 or 900	1500 or 1600		Ditto
95XT	1200 or 1100	1400 or 900	1500 or 1600		Ditto

CATERPILLAR Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
216	1400	900	1600	MILSCO	Use SA19068 slide kit
226	1400	900	1600	MILSCO	Use SA19068 slide kit
236	1400	900	1600	MILSCO	Use SA19068 slide kit
246	1400	900	1600	MILSCO	Use SA19068 slide kit
FERMEC Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
FIAT-HITACHI Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
SL65B	1200 or 1100	1400 or 900	1500 or 1600	KAB	Use SA19068 slide kit
SL55BH	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SL45B	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SL40B	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SL35B	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
JOHN DEERE Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
3375	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
4475	1200 or 1100	1400 or 900	1500 or 1600		Ditto
6675	1200 or 1100	1400 or 900	1500 or 1600		Ditto
7775	1200 or 1100	1400 or 900	1500 or 1600		Ditto
8875	1200 or 1100	1400 or 900	1500 or 1600		Ditto
GEHL, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
3310	1200 or 1100	1400 or 900	1500 or 1600	MilSCO	Use SA19068 slide kit. May require installation kit SA19096.901.
3410	1200 or 1100	1400 or 900	1500 or 1600		Ditto
3825	1200 or 1100	1400 or 900	1500 or 1600		Ditto
4625	1200 or 1100	1400 or 900	1500 or 1600		Ditto
5625	1200 or 1100	1400 or 900	1500 or 1600		Ditto
6625	1200 or 1100	1400 or 900	1500 or 1600		Ditto
JCB, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
3CX	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
KOMATSU, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
SK09J	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SK07J	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SK05J	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SK04J	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
MACMOTER, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
	1005	1100 or 1210	1520	MT	Use SA19068 slide kit

Melroe, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
450	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
453	1200 or 1100	1400 or 900	1500 or 1600		Ditto
553	1200 or 1100	1400 or 900	1500 or 1600		Ditto
751	1200 or 1100	1400 or 900	1500 or 1600		Ditto
753	1200 or 1100	1400 or 900	1500 or 1600		Ditto
773	1200 or 1100	1400 or 900	1500 or 1600		Ditto
763	1200 or 1100	1400 or 900	1500 or 1600		Ditto
863	1200 or 1100	1400 or 900	1500 or 1600		Ditto
873	1200 or 1100	1400 or 900	1500 or 1600		Ditto
953	1200 or 1100	1400 or 900	1500 or 1600		Ditto
MUSTANG Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
910	1200 or 1100	1400 or 900	1500 or 1600	Milsco	Use SA19068 slide kit. May require installation kit SA19096.901.
911	1200 or 1100	1400 or 900	1500 or 1600		Ditto
920	1200 or 1100	1400 or 900	1500 or 1600		Ditto
921	1200 or 1100	1400 or 900	1500 or 1600		Ditto
930A	1200 or 1100	1400 or 900	1500 or 1600		Ditto
940	1200 or 1100	1400 or 900	1500 or 1600		Ditto
960	1200 or 1100	1400 or 900	1500 or 1600		Ditto
NEW HOLLDAND Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
L250	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
L255	1200 or 1100	1400 or 900	1500 or 1600		Ditto
L465	1200 or 1100	1400 or 900	1500 or 1600		Ditto
LX485	1200 or 1100	1400 or 900	1500 or 1600		Ditto
L565	1200 or 1100	1400 or 900	1500 or 1600		Ditto
LX665	1200 or 1100	1400 or 900	1500 or 1600		Ditto
L865	1200 or 1100	1400 or 900	1500 or 1600		Ditto
LX885	1200 or 1100	1400 or 900	1500 or 1600		Ditto
	1200 or 1100	1400 or 900	1500 or 1600		
PICCINI Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
	1200 or 1100	1400 or 900	1500 or 1600	MT	Use SA19068 slide kit. May require installation kit SA19096.901.
THOMAS Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
T83S	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
T103	1200 or 1100	1400 or 900	1500 or 1600		Ditto
T133S	1200 or 1100	1400 or 900	1500 or 1600		Ditto
T132	1200 or 1100	1400 or 900	1500 or 1600		Ditto
T173 HLS	1200 or 1100	1400 or 900	1500 or 1600		Ditto
T203HD	1200 or 1100	1400 or 900	1500 or 1600		Ditto
T233 HD	1200 or 1100	1400 or 900	1500 or 1600		Ditto
TRAK INTERNATIONAL Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
1300c	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
1300cx	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1500c	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1700c	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1700cx	1200 or 1100	1400 or 900	1500 or 1600		Ditto

BACKHOE LOADERS

RECOMMENDED REPLACEMENT SEATING

CASE, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
570L XT	5025		D5060		Remove existing seat and mount new seat to pedestal using SA10954.145 though mounting points in suspension. If pedestal is removed use installation kit SA18648.901
580C	5025		D5060		Ditto
580K	5025		D5060		Ditto
580L	5025		D5060		Ditto
580 Super L	5025		D5060		Ditto
590 Super L	5025		D5060		Ditto
780	5025		D5060		Ditto
CATERPILLAR, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
416B, C, D	5050	5020	D5060	Sears	Sears factory seat mounts to 10.74" w x 14.75" pedestal which tops a 6" high sq. tube. Remove existing seat and mount new seat direct to this though mounting points in suspension. If pedestal is removed use installation kit SA18648.901
426B, C, D	5050	5020	D5060	Sears	Ditto
428B, C, D	5050	5020	D5060	Sears	Ditto
436B, C, D	5050	5020	D5060	Sears	Ditto
438B, C, D	5050	5020	D5060	Sears	Ditto
446B, C, D	5050	5020	D5060	Sears	Ditto
EARTHFORCE,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
FERMEC,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
90	D5060	5020	5050T or D5060	KAB 815	Use installation kit SA18648.901. Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
750	D5060	5020	5050T or D5060	KAB 815	
960	D5060	5020	5050T or D5060	KAB 815	
FIAT-HITACHI,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
FB200 4WS	D5060	5020	5050 or D5060	KAB 555	Use installation kit SA18648.901. Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
FB110	D5060	5020	5050 or D5060	KAB 555	Ditto
FB100	D5060	5020	5050 or D5060	KAB 555	Ditto
FB90	D5060	5020	5050 or D5060	KAB 555	Ditto
FORD,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
550	5020		5050 or D5060	301K	Use installation kit SA18648.901. Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
555	5020		5050 or D5060	301K	Ditto
655	5020		5050 or D5060	301K	
FUCHS					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
714 MU	5025		D5060	ISRI 6000/575	Use installation kit SA18648.901. Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
MHL 320	5025		D5060		Ditto
HIDROMEK					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
HMK 101S	5025		D5060	KAB 411/525	Use installation kit SA18648.901. Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.

HYDROMEC,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	5025		D5060	ISRI 6000/575	Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
JOHN DEERE,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
300D	5052	5027	5050 or D5060		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
310D	5052	5027	5050 or D5060		Ditto
310E	5052	5027	5050 or D5060		Ditto
310SE	5052	5027	5050 or D5060		Ditto
315SE	5052	5027	5050 or D5060		Ditto
410D	5052	5027	5050 or D5060		Ditto
410E	5052	5027	5050 or D5060		Ditto
510E	5052	5027	5050 or D5060		Ditto
710D	5052	5027	5050 or D5060		Ditto
JCB, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
210S	5020		D5060		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
214E	5020		D5060		Ditto
214	5020		D5060		Ditto
214	5020		D5060		Ditto
214, 4WD	5020		D5060		Ditto
214	5020		D5060		Ditto
214S	5020		D5060		Ditto
215 2WD	5020		D5060		Ditto
215, 4WD	5020		D5060		Ditto
217 4WD	5020		D5060		Ditto
217S, 4X4	5020		D5060		Ditto
506B	5020		D5060		Ditto
1400B	5020		D5060		Ditto
1550 4	5020		D5060		Ditto
214S, Series 2	5020		D5060		Ditto
214, Series 3	5020		D5060		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
214E, Series 3	5020		D5060		Ditto
215, Series 3	5020		D5060		Ditto
3CX (1991-1995)	5020		D5060	301K	Ditto
3CX (>1995)	5020		D5060	515	Ditto
2CX	5020		D5060	XH2/U1	Ditto
3CX (1995-)	5020		D5060	ISRI	Ditto
2CX 1995-	5020		D5060	ISRI	Ditto
KOBELCO, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
TLK 750	5020		D5060		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
TLK 760	5020		D5060		Ditto
TLK 860	5020		D5060		Ditto
TLK 965	5020		D5060		Ditto
KOMATSU, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
WB70A	5020		D5060	KAB 301	Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
WB91A	5020		D5060	KAB 301	Ditto
WB91R-2	5020		D5060	KAB 301	Ditto
WB93R	5020		D5060	KAB 301	Ditto
WB93R-2	5020		D5060	KAB 301	Ditto
WB97R-2	5020		D5060	KAB 301	Ditto
WB97S-2	5020		D5060	KAB 301	Ditto
WB98A					

KUBOTA, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
B20	5020		D5060		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
L35	5020		D5060		
	5020		D5060		
NEW HOLLAND, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
555E	5020		D5060		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
575E	5020		D5060		
655E	5020		D5060		
675E	5020		D5060		Ditto
LB75	5020		D5060		Ditto
NH75	5020		D5060		Ditto
NH85	5020		D5060		Ditto
NH95	5020		D5060		Ditto
VF VENIERI, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
9.23				DS85/90	Mounting information not confirmed
Volvo, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	5020		D5060	ISR1	Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
	5020		D5060	ISR1	
	5020		D5060	ISR1	